

Rational Prescribing in Older Adults

List of References

- Avorn J, Soumerai S, Everitt D, et al. A Randomized Trial of a Program to Reduce the Use of Psychoactive Drugs in Nursing Homes. *NEJM*. 1992;327(3):168-173
- Bunditz DS, Shehab N, Kegler SR, Richards CL. Medication Use Leading to Emergency Department visits for Adverse Drug Events in older adults. *Ann Intern Med*. 2007;147(11):755-765.
- Cascade E, Kalali A. Use of Antipsychotics Pre- and Post-Dissemination of Catie Data. *Psychiatry* 2007:21-23.
- Currie C, Peters J, Tynan A, et al. Survival as a function of HbA1c in People with type 2 diabetes: a retrospective cohort study *Lancet*. 2010;375:481-489.
- Davies EA, O'Mahony MS. Adverse drug reactions in special populations - the elderly. *Br J Clin Pharmacol*. 2015;80(4):796-807.
- Drugs for Psychiatric Disorders. Treatment Guidelines from the Medical Letter 2013;11(130).
- Effect of intensive blood-glucose control with metformin on complications in overweight patients with type 2 diabetes (UKPDS 34). UK Prospective Diabetes Study (UKPDS) Group. *Lancet*. 1998;352(9131):854-865.
- Geller A, Shehab N, Lovegrove M, et al. National Estimates of Insulin-Related Hypoglycemia and Errors Leading to Emergency Department Visits and Hospitalizations *JAMA*. 2014;174(5):678-686.
- Gentili A. Geriatric Sleep Disorder. Medscape 2014. Available at: <http://emedicine.medscape.com/article/292498-overview#a4>. Accessed April 29, 2016.
- Giovannucci E, Harlan D, Archer M BR, et al. Diabetes and Cancer *Diabetes Care*. 2010;33(7):1674-1685.
- Heres S, Davis J, Maino K, Jetzinger E, Kissling W, Leucht S. Why Olanzapine Beats Risperidone, Risperidone Beats Quetiapine, and Quetiapine Beats Olanzapine- An Exploratory Analysis of Head-to-Head Comparison Studies of Second-Generation Antipsychotics. *Am J Psychiatry*. 2006;163(2):185-194.
- Hemmingsen B, Lund SS, Gluud C, Vaag A, Almdal TP, J W. Targeting intensive glycaemic control versus targeting conventional glycaemic control for type 2 diabetes mellitus (Review). *The Cochrane Collaboration*. 2013.

- High K, Bradley S, Gravenstein S, et al. Clinical Practice Guideline for the Evaluation of Fever and Infection in Older Adult Residents of Long-Term Care Facilities: 2008 Update by the Infectious Diseases Society of America. *JAGS*. 2009;57(3):375-394.
- Loeb M, Bentley D, Strausbaugh L, et al. Development of Minimum Criteria for the Initiation of Antibiotics in Residents of Long-Term-Care Facilities: Results of a Consensus Conference. *Infection Control and Hospital Epidemiology*. 2001:120.
- Maher A, Maglione M, Bagley S, et al. Efficacy and Comparative Effectiveness of Atypical Antipsychotic Medications for Off-Label Uses in Adults. *JAMA*. 2011;306(12):1359-1369.
- Maher RL, Hanlon J, Hajjar ER. Clinical consequences of polypharmacy in elderly. *Expert Opin Drug Saf*. 2014;13(1):57-65.
- Peluso M, Lewis S, Barnes T, P J. Extrapyramidal motor side-effects of first- and second-generation antipsychotic drugs. *BJP*. 2012;200:387-392.
- Schneider L, Tariot P, Lieberman J, et al. Effectiveness of atypical antipsychotic drugs in patients with Alzheimer's disease. *New England Journal Of Medicine*. 2006;355(15):1525-1632 18p.
- Sloane Epidemiology Center. Patterns of Medication Use in the United States. 2006.
- Stone N, Muhammad A, Calder J, et al. Surveillance Definitions of Infections in Long-Term Care Facilities: Revisiting the McGeer Criteria. *Infection Control & Hospital Epidemiology*. 2012;33(10):965-977.
- Tangiisuran B, Davies J, Wright J, C R. Adverse Drug Reactions in a Population of Hospitalized Very Elderly Patients *Drugs Aging*. 2012;29(8):669-679.
- U.S. Department Of Veterans Affairs/ VA/DoD Clinical Practice Guideline: Management of Diabetes Mellitus (DM). Department of Veterans Affairs (VA) and the Department of Defense (DoD); 2010. Available at: http://www.healthquality.va.gov/guidelines/cd/diabetes/dm2010_ful-v4e.pdf.
- Vieweg W, Wood M, Fernandez A, Beatty-Brooks M, Hasnain M, Pandurangi A. Proarrhythmic Risk with Antipsychotic and Antidepressant Drugs. *Drugs Aging*. 2009;26(12):997-1012.
- Vigen C MW, Keefe R, Sano M, Sultzer D, Stroup S, Dagerman K, Hsaio J, Lebowitz B, Lyketsos C, Tariot P, Zheng L, Schneider L., Cognitive Effects of Atypical Antipsychotic Medications in Patients with Alzheimer's Disease: Outcomes from CATIE-AD. *AM J Psychiatry*. 2011;168 (8):831-839.
- Woolcott J, Richardson K, Wiens M, et al. Meta-analysis of the Impact of 9 Medication

Classes of Falls in Elderly Persons. *Arch Intern Med.* 2009;169(21):1952-1960.