

Influenza Surveillance Report

Division of Epidemiology - Disease Surveillance and Investigation
District of Columbia Department of Health

2016-2017 Influenza Season Week 6 (February 5, 2017 – February 11, 2017) *(All data are preliminary and may change as more reports are received)*

SUMMARY

- 165 cases of Influenza were reported by hospitals during this reporting period
- Zero pediatric deaths were reported during this period
- 63 additional cases were reported for weeks 1 through 5
- For the 2016-2017 Influenza Season to-date, 767 positive Influenza cases have been reported
- DC PHL did not report any specimens tested for week 6
- Flu activity increased sharply, with season to date activity now higher than the previous 4 seasons

INFLUENZA SURVEILLANCE FROM HOSPITALS & AMBULATORY CARE FACILITIES



District of Columbia hospitals and laboratories report detailed information on cases of Influenza on a daily basis. However, in accordance with CDC guidelines, only Influenza-associated deaths in cases <18 years of age and Novel Influenza A infections are reportable. We also request that Influenza hospitalizations be reported if possible.

The table below summarizes weekly and cumulative cases of Influenza for the 2016-2017 Season. Data are also presented by age group and by number of cases reported weekly. During week 6 (February 5, 2017–February 11, 2017), there were 165 new cases of Influenza reported. 63 additional cases were reported for weeks 1 through 5. To date, the District has received 767 positive Influenza cases reported by hospitals.

Surveillance of Influenza Cases Reported By Influenza Type

	Week 6 (February 5, 2017–February 11, 2017)		Cumulative Cases for Weeks 40–20 (October 2, 2016–May 20, 2017)	
Influenza A	142	(86.06%)	667	(86.96%)
Influenza B	16	(9.70%)	84	(10.95%)
Influenza A/B	0	(0%)	3	(0.39%)
Influenza (not typed)	7	(4.24%)	13	(1.70%)
Total	165*	(100%)	767*	(100.00%)

*Includes results from Rapid Diagnostic Testing, Viral Culture, RT-PCR, Serology, and Immunofluorescence.



RAPID DIAGNOSTIC TESTING

Rapid Diagnostic Tests are screening tests used to detect the Influenza virus in a short period of time. While initially less accurate than PCR and viral culture, rapid diagnostics are more accurate as the Influenza season progresses. During week 6, 183 out of a total of 509 tests were performed using rapid diagnostic testing in clinical laboratories. Of these, 48 (26.23%) positive Influenza specimens were identified using rapid diagnostics.


Week: 6 (February 5, 2017 – February 11, 2017)	
No. of specimens tested Rapid Diagnostics	183
No. of positive specimens (%)	48 (26.23%)
Positive specimens by type/subtype	
Influenza A	37 (77.08%)
Influenza B	4 (8.33%)
Influenza A/B	0 (0%)
Influenza – unknown type	7 (14.59%)

WEEK 6 COMPARISON WITH PREVIOUS SEASONS

For week 6, there were 165 cases in the current 2016-2017 season, 15 cases in last year’s 2015-2016 season, 28 cases in the 2014-2015 season, 52 in the 2013-2014 season, and 16 in the 2012-2013 season.

Cumulatively, there are a total of 767 cases in the district up to week 6 for the current season, 122 during the 2015-2016 season, 664 in the 2014-2015 season, 520 in the 2013-2014 season, and 625 in the 2012-2013 season.

Number of Cases as of Week 5 for 2012-2013, 2013-2014, 2014-2015, 2015-2016, 2016-2017



INFLUENZA-LIKE ILLNESS (ILI) SURVEILLANCE

Sentinel surveillance for ILI consists of three outpatient reporting sites for the District of Columbia. The sentinel surveillance sites report the total number of ILI cases encountered per week and the total number of patients seen at the clinic during that same week. For this system, ILI is defined as the existence of fever (temperature of 100°F [37.8°C] or greater) and a cough and/or a sore throat in the absence of a known cause other than Influenza.

For week 6, sentinel providers reported 247 out of 2630 visits (9.39%) that met the criteria for ILI.

Sentinel Surveillance ILI Activity for Washington, DC


Week of	Activity *
Feb 5 – Feb 11	Local

***No Activity** – overall clinical activity remains low and there are no lab confirmed Influenza cases;

Sporadic – isolated lab confirmed Influenza cases reported and ILI activity is not increased;

Local – increased ILI activity and recent lab confirmed Influenza cases. As the District of Columbia is not a state, this is the highest level of ILI activity it can report.

Influenza-Like Illness Reported by MMWR Weekly October 2, 2016 - May 20, 2017



INFLUENZA TESTING BY THE DISTRICT OF COLUMBIA PUBLIC HEALTH LABORATORY (DC PHL)

The DC PHL subtypes human isolates to monitor the circulating strains of Influenza. The isolates are submitted to the DC PHL by hospitals and commercial laboratories. DC PHL did not report any specimens tested for week 6, but reported 43 specimens testing positive out of 68 tested between 1/15/17-2/4/17.


DC PHL Surveillance of Influenza Cases Reported By Influenza Subtype

DC PHL Influenza Testing	Feb 5, 2017 – Feb 11, 2017	Total Cases October 2, 2016 – May 20, 2017
Number of specimens tested	0	68
◆ Number of specimens positive for Influenza:	0 (0%)	43 (63.24%)
● Influenza A	0 (0%)	43 (100%)
▪ H1 2009 H1N1	0 (0%)	2 (4.65%)
▪ H1 seasonal	0 (0%)	0 (0%)
▪ H3	0 (0%)	41 (95.35%)
● Influenza B	0 (0%)	0 (0%)

NATIONAL INFLUENZA ASSESSMENT

The CDC's weekly seasonal Influenza surveillance report for week 6 noted that influenza activity increased in the United States. The proportion of deaths attributed to pneumonia and influenza (P&I) was above the system-specific epidemic threshold. Nine pediatric deaths were reported to the CDC during week 6, six associated with A (H3) viruses, two associated with un-typed A viruses, and one with a B virus. For the 2016-2017 season, a total of 29 pediatric deaths associated with Influenza have been reported in the US. During week 6, 2,918 specimens were tested by public health laboratories, of which 1,732 were positive. Of the 1,732 respiratory specimens that tested positive during week 6, 1,528 (88.2%) were Influenza A and 204 (11.8%) were Influenza B. Of the Influenza A samples, 30 (2.0%) were 2009 H1N1, 1,430 (93.6%) were H3, and 68 (4.5%) were un-typed.

Influenza Positive Tests Reported to CDC by U.S. Public Health Laboratories, National Summary, 2016-2017 Season



Get Vaccinated!

To find an Influenza vaccine provider, visit the District of Columbia Immunization Resource Center at <http://doh.dc.gov/node/190532>



For additional information about Influenza and Influenza activity in the United States, please visit: <http://www.cdc.gov/flu/index.htm>. Questions about Influenza in the District of Columbia or this report should be directed to the Division of Epidemiology - Disease Surveillance and Investigation at (202) 442-9150 or email keith.li@dc.gov.