

# Influenza Surveillance Report

Division of Epidemiology - Disease Surveillance and Investigation  
 District of Columbia Department of Health

## 2012-2013 Influenza Season Week 16 (April 14, 2013– April 20, 2013)

(All data are preliminary and may change as more reports are received)

### SUMMARY

- 2 cases of Influenza were reported by hospitals during this reporting period.
- Zero pediatric-deaths associated with Influenza were recorded during this reporting period.
- For the 2012-2013 Influenza Season to-date, 770 positive Influenza cases have been reported.

### INFLUENZA SURVEILLANCE FROM HOSPITALS & AMBULATORY CARE FACILITIES

District of Columbia hospitals and laboratories report detailed information on cases of Influenza on a daily basis. However, in accordance with CDC guidelines, only Influenza-associated deaths in cases <18 years of age and Novel Influenza A infections are reportable.


The table below summarizes weekly and cumulative cases of Influenza for the 2012-2013 Season. Data are also presented by age group and by number of cases reported weekly. During week 16 (April 14, 2013– April 20, 2013), there were 2 new cases of Influenza reported. To date, the District has received 770 positive Influenza cases among DC residents reported by hospitals.

### Surveillance of Influenza Cases Reported By Influenza Type


	Week 16 (April 14, 2013– April 20, 2013)		Cumulative Cases for Weeks 40 – 22 (30 September 2012 – 1 June 2013)	
Influenza A	0	(0%)	560	(72.7%)
Influenza B	2	(100%)	188	(24.4%)
Influenza A/B	0	(0%)	22	(2.9%)
Influenza (not typed)	0	(0%)	0	(0%)
<b>Total</b>	<b>0*</b>	<b>(100%)</b>	<b>770*</b>	<b>(100.0%)</b>

\*Includes results from Rapid Diagnostic Testing, Viral Culture, RT-PCR, Serology, and Immunofluorescence.

Positive Influenza Tests, by Age Group  
 Week 16 (14 April 2013 - 20 April 2013)



Positive Influenza Tests by Week  
 September 30, 2012 - June 1, 2013



**RAPID DIAGNOSTIC TESTING**

Rapid Diagnostic Tests are screening tests used to detect the Influenza virus in a short period of time. While initially less accurate than PCR and viral culture, rapid diagnostics are more accurate as the Influenza season progresses. During week 16, 61 tests out of a total of 62 were performed using Rapid Diagnostic Testing in clinical laboratories. Of these, 1 (1.6%) positive Influenza specimens were identified during week 16 using rapid diagnostics. The other positive test during week 16 was performed using serology.

Week: 16 (April 14, 2013– April 20, 2013)	
No. of specimens tested Rapid Diagnostics	61
No. of positive specimens (%)	1 (1.6%)
<b>Positive specimens by type/subtype</b>	
Influenza A	0 (0%)
Influenza B	1 (100%)
Influenza A/B	0 (0%)
Influenza – unknown type	0 (0%)

**INFLUENZA-LIKE ILLNESS (ILI) SURVEILLANCE**

Sentinel surveillance for ILI consists of three outpatient reporting sites for the District of Columbia. The sentinel surveillance sites report the total number of ILI cases encountered per week and the total number of patients seen at the clinic during that same week. For this system, ILI is defined as the existence of fever (temperature of 100°F [37.8°C] or greater) and a cough and/or a sore throat in the absence of a known cause other than Influenza.

For week 16, sentinel providers reported that 48 out of 1329 visits (3.6%) met the criteria for ILI. In week 16, additional cases from week 15 were reported by sentinel providers, 83 out of 2040 (4.1%) met the criteria for ILI.

**Sentinel Surveillance ILI Activity for Washington, DC**


Week of	Activity *
April 14 – April 20	<i>Sporadic</i>

**\*No Activity** – overall clinical activity remains low and there are no lab confirmed Influenza cases;

**Sporadic** – isolated lab confirmed Influenza cases reported and ILI activity is not increased;

**Local** – increased ILI activity and recent lab confirmed Influenza cases. As the District of Columbia is not a state, this is the highest level of ILI activity it can report.

**Influenza-Like Illness Reported by MMWR Weekly September 30, 2012 - June 1, 2013**



## INFLUENZA TESTING BY THE DISTRICT OF COLUMBIA PUBLIC HEALTH LABORATORY (DC PHL)

The DC PHL subtypes human isolates to monitor the circulating strains of Influenza. The isolates are submitted to the DC PHL by hospitals and commercial laboratories. In week 15, 0 out of 7 specimens sent to the DC PHL have tested positive for Influenza. Cumulatively from October 1, 2012 to April 6, 2013, 252 specimens have been tested, of which there have been 164 positive specimens. 116 of these isolates were subtyped as Influenza A/H3, 10 were subtyped as Influenza A/H1 2009 H1N1, and 38 were Influenza B.


**DC PHL Surveillance of Influenza Cases Reported By Influenza Subtype**

DC PHL Influenza Testing	Week 15 April 7, 2013 – April 13, 2013	Total Cases October 1, 2012 – April 6, 2013
<b>Number of specimens tested</b>	7 (100%)	252 (100%)
◆ <b>Number of specimens positive for Influenza:</b>	0 (0%)	164 (65%)
● <b>Influenza A</b>	0 (0%)	126 (50%)
▪ <b>H1 2009 H1N1</b>	0 (0%)	10 (4%)
▪ <b>H1 seasonal</b>	0 (0%)	0 (0%)
▪ <b>H3</b>	0 (0%)	116 (46%)
● <b>Influenza B</b>	0 (0%)	38 (15%)

## NATIONAL INFLUENZA ASSESSMENT

The CDC's weekly seasonal Influenza surveillance report for week 16 noted that Influenza activity decreased in the United States. The proportion of outpatient visits for Influenza-like illness (ILI) was 1.1%, below the national baseline of 2.2%. The proportion of deaths due to Influenza and pneumonia in the US was below the epidemic threshold. Five Influenza-associated pediatric deaths were reported in the US, with one death associated with an un-subtyped influenza A virus, and four associated with Influenza B viruses. For the 2012-2013 Influenza seasons, a total of 131 pediatric deaths associated with Influenza have been reported in the US. During week 16, 3,384 specimens were tested, of which 250 were positive (7.4%). Of the 250 that tested positive, 88 (35.2%) were Influenza A viruses and the remaining 162 (64.8%) were Influenza B viruses. Of the Influenza A samples, 37 (42.0%) were Influenza A/H3, 14 (15.9%) were Influenza A/2009 H1N1, and 37 (42.0%) of the viruses were not subtyped.

**Influenza Positive Tests Reported to CDC by U.S. WHO/NREVSS Collaborating Laboratories, National Summary, 2012-13**



Get Vaccinated!

To find an Influenza vaccine provider, visit the District of Columbia Flu Resource Center at <http://doh.dc.gov/doh/cwp/view,a,1370,q,604320.asp>



For additional information about Influenza and Influenza activity in the United States, please visit: <http://www.cdc.gov/flu/index.htm>.

Questions about Influenza in the District of Columbia or this report should be directed to the Division of Epidemiology - Disease Surveillance and Investigation at (202) 442-8141 or email [gabrielle.ray@dc.gov](mailto:gabrielle.ray@dc.gov).